Next generation in daily small area scrubbing and drying

SC351 is offering both forward and backward scrubbing and drying with an impressive brush pressure of 27 kg. Easy to see how useful this feature is for cleaning in crowded places, between and behind tables, shelves, furniture and in other less accessible areas.

SC351 is adding next generation performance to a century of Nilfisk traditions for trusted and reliable cleaning equipment. Ideally suited for cleaning of hotels, schools, small shops, offices, canteens and coffee shops, SC351 is offering unique performance in a small and handy machine. Drop the mop, single disc or heavy, expensive machines and achieve remarkable results with Nilfisk SC351:

- · Low noise level for daytime cleaning, even in noise-sensitive areas
- · Easy adjustable deck for a perfect traction control
- Adjustable water flow
- Fast and simple maintenance
- · Clear recovery lid for easy inspection and function control
- Ergonomic, adjustable and foldable handle for easy transport and storage
- · Extremely compact
- · Roller bumpers for near to wall cleaning
- · Real two tank system
- Patent Elastic Strap System to easily install and remove squeegee blades
- · Battery level indicator



Picture shown may not represent model quoted

Standard equipment

	Included accessories	Ref. no.	Min. required	SCRUBBER SC351	SCRUBBER SC351 FULL PKG	SCRUBBER SC351 JP
Disc Brush 37	70 mm					
	BRUSH DISC 370MM 14.5 PROLENE BLUE	9099999000	0		•	
Squeegee Bla	ade					
	BLADES SQUEEGEE 370MM 14.5 PU KIT	9100000077	1	•	•	•
Battery						
	BATTERY 12V 55AH AGM SPIRACEL	9100001664	1		•	
On-Board Charger						
8	CHARGER BATT. O/B 12V 15A 230V EU KIT	9100000713	1	•	•	•



Next generation in daily small area scrubbing and drying

	Included accessories		Ref. no.	Min. required	SCRUBBER SC351 FULL PKG UK
Disc Brush 37	70 mm				
	BRUSH DISC 370MM 14.5 PROLENE BLUE		9099999000	0	•
Squeegee Bla	ade				
	BLADES SQUEEGEE 370MM 14.5 PU KIT		910000077	1	•
Battery					
鸭	BATTERY 12V 55AH AGM SPIRACEL		9100001664	1	•
On-Board Ch	arger				
8	CHARGER BATT. O/B 12V 15A 230V EU KIT		9100000713	1	•
Model		SCRUBBER SC351	SCRUBBER SO FULL PKG		RUBBER SC35 JP
Ref. no.		9087340020	908734102	0 9	9087346020
PRODUCT FI	EATURES				
Built-in charge	er	•	•		•
Automatic bru	ush shut off	•	•		•
Automatic sol	lution shut off	•	•		•
Battery versio	on	•	•		•
Roller bumpe	ers on squeegee	•	•		•
Non marking	traction wheels	•	•		•



Battery level indicator

No tool brush removal

Adjustable handle

Removable recovery lid

Rotating deck Squeegee

Uk model

Model	SCRUBBER SC351 FULL PKG UK
Ref. no.	CM9087341020-03
PRODUCT FEATURES	
Built-in charger	•
Automatic brush shut off	•
Automatic solution shut off	•
Battery version	•
Roller bumpers on squeegee	•
Non marking traction wheels	•
Battery level indicator	•
Uk model	•
No tool brush removal	•
Adjustable handle	•
Removable recovery lid	•
Rotating deck	•
Squeegee	•

Technical specifications	SCRUBBER SC351	SCRUBBER SC351 FULL PKG	SCRUBBER SC351 JP
Max. running time	1.15 HOURS	1.15 HOURS	1.15 HOURS
Voltage (V)	12	12	12
IP protection class	IPX4	IPX4	IPX4
Insulation class	III	III	III
Rated power (W)	450	450	450
Brush motor (W)	260	260	260
Vacuum motor power (W)	200	200	200
Airflow (I/sec.)	17.8	17.8	17.8
Vacuum (kPa)	6.9	6.9	6.9
Sound pressure level at 1.5 m (dB(A) ISO 3744)	64	64	64
Productivity theoretical/actual (m²/h)	1480/890	1480/890	1480/890
Scrubbing width (mm)	370	370	370
Min. turn-around aisle width (cm)	85	85	85
Water flow (I/m)	0.25/0.5	0.25/0.5	0.25/0.5
Solution/recovery tank (I)	11/11	11/11	11/11
Squeegee width (mm)	470	470	470
Brush/pad diameter (mm)	370/355	370/355	370/355
Brush pressure (kg)	27	27	27
Brush speed (RPM)	140	140	140



Brush quantify and type 1 Disc 1 Disc 1 Disc Length x width x height (mm) 730475x450 730475x450 730475x450 Battery compartment size (L x W x H) (mm) 350475x240 350475x240 350475x240 Weight (kg) 42 42 42 Gross weight (gww) (kg) 73 73 Technical specifications 55041BBER Sc381 FILLE PKG UK Max. running time 1.5 HOURS 12 Most you (y) 12 1974 I protection class 18 18 Insulation class 18 18 Bush motor (W) 260 200 Vacuum (Vae) 260 200 Airflow (Vaec.) 17.8 64 Vacuum (Vae) 64 200 Vacuum (Vae) 11.480780 37 Vacuum (Vae) 2 145080 Vacuum (Vae) 2 145080 Vacuum (Vae) 30 37 Scrubbing width (mm) 2 140080 Scrubbing width (mm)	Technical specifications	SCRUBBER SC351	SCRUBBER SC351 FULL PKG	SCRUBBER SC351 JP
Betterly compartment size (L x W x H) (mm) 350x175x240 350x175x240 350x175x240 350x175x240 242 42 <td>Brush quantity and type</td> <td>1 Disc</td> <td>1 Disc</td> <td>1 Disc</td>	Brush quantity and type	1 Disc	1 Disc	1 Disc
Weight (kg) 42 42 42 Gross weight (gww) (kg) 73 73 73 Technical specifications SCRUBBER SC351 FLIL PKG UK 1.15 HOURS Max. running time 1.15 HOURS 1.15 HOURS Voltage (V) 1 1.15 HOURS IP protection class IPX4 1.15 HOURS Insulation class III 450 Brush motor (W) 260 260 Vacuum motor power (W) 200 450 Airflow (Visec.) 17.8 6.9 Sound pressure level at 1.5 m (dB(A) ISO 3744) 64 70 Productivity theoretical/actual (m²/h) 1480/890 370 Min. turn-around aisie width (rm) 85 25 Water flow (l/m) 0.25/0.5 85 Value (my) 470 11/11 Sclution/recovery tank (l) 11/11 470 Brush pressure (kg) 27 140 Brush pressure (kg) 27 15 Brush paed (RPM) 10 isc 730x475x45c Brush paed (RP	Length x width x height (mm)	730x475x450	730x475x450	730x475x450
Gross weight (gww) (kg) 73 73 73 Technical specifications SCRUBBER SC351 FULL PKG UK Max. running time 1.15 HOURS Voltage (V) 12 IP protection class III Insulation class III Rated power (W) 450 Brush motor (W) 260 Vacuum motor power (W) 200 Airflow (I/sec.) 17.8 Vacuum (kPa) 6.9 Sound pressure level at 1.5 m (dB(A) ISO 3744) 64 Productivity theoretical/actual (m³/h) 1480/890 Scrubbing width (mm) 370 Min. tur-around aisle width (cm) 8 Water flow (I/m) 2,25/0.5 Solution/recovery tank (I) 11/11 Squeegee width (mm) 470 Squeegee width (mm) 370/355 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush pressure (kg) 10 isc Brush quantity and type 10 isc Length x width x height (mm) 350x175x240 Weight (kg) <td>Battery compartment size (L x W x H) (mm)</td> <td>350x175x240</td> <td>350x175x240</td> <td>350x175x240</td>	Battery compartment size (L x W x H) (mm)	350x175x240	350x175x240	350x175x240
Technical specifications SCRUBBER SC35 I FULL PKG UK Max. running time 1.15 HOURS Voltage (V) 12 IP protection class IPX4 Insulation class III Rated power (W) 450 Brush motor (W) 260 Vacuum motor power (W) 200 Airflow (Visec.) 17.8 Vacuum (kPa) 6.9 Sound pressure level at 1.5 m (dB(A) ISO 3744) 64 Productivity theoretical/actual (m²/h) 1480/890 Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 85 Vater flow (Vim) 0.25/0.5 Solution/recovery tank (I) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 10sc Brush quantity and type 1 Disc Length x width x height (mm) 350x175x240 Bettery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Weight (kg)	42	42	42
Resultancial Specifications FULL PKG UK Max. running time 1.15 HOURS Voltage (V) 12 IP protection class IPX4 Insulation class III Rated power (W) 450 Brush motor (W) 260 Vacuum motor power (W) 200 Airflow (I/sec.) 17.8 Vacuum (kPa) 6.9 Sound pressure level at 1.5 m (dB(A) ISO 3744) 6.9 Productivity theoretical/actual (m²/h) 1480/890 Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 6.5 Water flow (I/m) 0.25/0.5 Solution/recovery tank (I) 11/11 Squeegee width (mm) 470 Brush pressure (kg) 27 Brush pressure (kg) 140 Brush pressure (kg) 1 Disc Eught x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Gross weight (gvw) (kg)	73	73	73
Voltage (V) 12 IP protection class IPX4 Insulation class III Rated power (W) 450 Brush motor (W) 260 Vacuum motor power (W) 200 Airflow (I/sec.) 17.8 Vacuum (kPa) 6.9 Sound pressure level at 1.5 m (dB(A) ISO 3744) 64 Productivity theoretical/actual (m²/h) 1480/890 Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 85 Water flow (I/m) 0.25/0.5 Solution/recovery tank (I) 11/11 Squeegee width (mm) 470 Brush pressure (kg) 27 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 350x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Technical specifications			SCRUBBER SC351 FULL PKG UK
IP protection class IPX4 Insulation class III Rated power (W) 450 Brush motor (W) 260 Vacuum motor power (W) 200 Airflow (I/sec.) 17.8 Vacuum (kPa) 6.9 Sound pressure level at 1.5 m (dB(A) ISO 3744) 64 Productivity theoretical/actual (m²/h) 1480/899 Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 85 Water flow (I/m) 0.25/0.5 Solution/recovery tank (I) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 350x175x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Max. running time			1.15 HOURS
Insulation class Ill Rated power (W) 450 Brush motor (W) 260 Vacuum motor power (W) 200 Airflow (I/sec.) 17.8 Vacuum (kPa) 6.9 Sound pressure level at 1.5 m (dB(A) ISO 3744) 64 Productivity theoretical/actual (m²/h) 1480/890 Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 85 Water flow (I/m) 0.25/0.5 Solution/recovery tank (I) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Voltage (V)			12
Rated power (W) 450 Brush motor (W) 260 Vacuum motor power (W) 200 Airflow (I/sec.) 17.8 Vacuum (kPa) 6.9 Sound pressure level at 1.5 m (dB(A) ISO 3744) 64 Productivity theoretical/actual (m²/h) 1480/890 Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 85 Water flow (I/m) 0.25/0.5 Solution/recovery tank (I) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 350x175x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	IP protection class			IPX4
Brush motor (W) 260 Vacuum motor power (W) 200 Airflow (I/sec.) 17.8 Vacuum (kPa) 6.9 Sound pressure level at 1.5 m (dB(A) ISO 3744) 64 Productivity theoretical/actual (m²/h) 1480/890 Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 85 Water flow (I/m) 0.25/0.5 Solution/recovery tank (I) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush speed (RPM) 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Insulation class			III
Vacuum motor power (W) 200 Airflow (I/sec.) 117.8 Vacuum (kPa) 6.9 Sound pressure level at 1.5 m (dB(A) ISO 3744) 64 Productivity theoretical/actual (m²/h) 1480/890 Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 85 Water flow (I/m) 0.25/0.5 Solution/recovery tank (I) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush speed (RPM) 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Rated power (W)			450
Airflow (I/sec.) 17.8 Vacuum (kPa) 6.9 Sound pressure level at 1.5 m (dB(A) ISO 3744) 64 Productivity theoretical/actual (m²/h) 1480/890 Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 85 Water flow (I/m) 0.25/0.5 Solution/recovery tank (I) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Brush motor (W)			260
Vacuum (kPa) 6.9 Sound pressure level at 1.5 m (dB(A) ISO 3744) 64 Productivity theoretical/actual (m²/h) 1480/890 Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 85 Water flow (l/m) 0.25/0.5 Solution/recovery tank (l) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Vacuum motor power (W)			200
Sound pressure level at 1.5 m (dB(A) ISO 3744) 64 Productivity theoretical/actual (m²/h) 1480/890 Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 85 Water flow (l/m) 0.25/0.5 Solution/recovery tank (l) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Airflow (I/sec.)			17.8
Productivity theoretical/actual (m²/h) 1480/890 Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 85 Water flow (l/m) 0.25/0.5 Solution/recovery tank (l) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Vacuum (kPa)			6.9
Scrubbing width (mm) 370 Min. turn-around aisle width (cm) 85 Water flow (l/m) 0.25/0.5 Solution/recovery tank (l) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Sound pressure level at 1.5 m (dB(A) ISO 3744)			64
Min. turn-around aisle width (cm) 85 Water flow (l/m) 0.25/0.5 Solution/recovery tank (l) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Productivity theoretical/actual (m²/h)			1480/890
Water flow (I/m) 0.25/0.5 Solution/recovery tank (I) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Scrubbing width (mm)			370
Solution/recovery tank (I) 11/11 Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Min. turn-around aisle width (cm)			85
Squeegee width (mm) 470 Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Water flow (I/m)			0.25/0.5
Brush/pad diameter (mm) 370/355 Brush pressure (kg) 27 Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 730x475x450 Battery compartment size (L x W x H) (mm) 350x175x240 Weight (kg) 42	Solution/recovery tank (I)			11/11
Brush pressure (kg) Brush speed (RPM) 140 Brush quantity and type 1 Disc Length x width x height (mm) 350x175x450 Battery compartment size (L x W x H) (mm) Weight (kg) 42	Squeegee width (mm)			470
Brush speed (RPM) Brush quantity and type 1 Disc Length x width x height (mm) Battery compartment size (L x W x H) (mm) Weight (kg) 42	Brush/pad diameter (mm)			370/355
Brush quantity and type Length x width x height (mm) Battery compartment size (L x W x H) (mm) Weight (kg) 1 Disc 730x475x450 350x175x240	Brush pressure (kg)			27
Length x width x height (mm) Battery compartment size (L x W x H) (mm) Weight (kg) 730x475x450 350x175x240	Brush speed (RPM)			140
Battery compartment size (L x W x H) (mm) Weight (kg) 350x175x240 42	Brush quantity and type			1 Disc
Weight (kg) 42	Length x width x height (mm)			730x475x450
	Battery compartment size (L x W x H) (mm)			350x175x240
Gross weight (gvw) (kg) 73	Weight (kg)			42
	Gross weight (gvw) (kg)			73



Next generation in daily small area scrubbing and drying

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	SCRUBBER SC351	SCRUBBER SC351 FULL PKG	SCRUBBER SC351 JP
Battery						
	BATT.12V-87AH AGM MONOBLOC	1464853000	1			
1	BATTERY 12V 55AH AGM SPIRACEL	9100001664	1	0	•	0
External Char	ger					
8	CHARGER HF 12V 30A OPTIMA SB50G	80541230	1			
Pad Holder						
	PAD HOLDER FLAT 14 355MM	9099672000	0	0	0	0
Special Pad						
	PAD 14 355MM ECO BRILLIANCE BLUE 2PCS	10002325	0	0	0	0
	PAD 14 355MM ECO BRILLIANCE GREEN 2PCS	10002327	0	0	0	0
	PAD 14 355MM ECO BRILLIANCE RED 2PCS	10002324	0	0	0	0
	PAD 14 355MM ECO BRILLIANCE YELLOW 2PCS	10002326	0	0	0	0
Pad 14" / 355	mm					
0	PAD 14 355MM ECO BLACK 5PCS	10001916	0	0	0	0
0	PAD 14 355MM ECO BLUE 5PCS	10001917	0	0	0	0



	Accessories	Ref. no.	Min. required	SCRUBBER SC351	SCRUBBER SC351 FULL PKG	SCRUBBER SC351 JP
0	PAD 14 355MM ECO BROWN 5PCS	10001918	0	0	0	0
0	PAD 14 355MM ECO GREEN 5PCS	10001919	0	0	0	0
0	PAD 14 355MM ECO RED 5PCS	10001920	0	0	0	0
	PAD 14 355MM ECO WHITE 5PCS	10001921	0	0	0	0
Disc Brush 37	70 mm					
0	BRUSH DISC 370MM 14.5 GRIT 180 GREY	9100000003	0	0	0	0
	BRUSH DISC 370MM 14.5 GRIT 240 GREY	9100000002	0	0	0	0
	BRUSH DISC 370MM 14.5 PROLENE BLUE	9099999000	0	0	•	0
	BRUSH DISC 370MM 14.5 PROLITE BLUE	9100000001	0	0	0	0
	BRUSH DISC 370MM 14.5 UNION MIX NATURAL	9100000000	0	0	0	0
Other						
	HOSE FILLING KIT	9099011000	0	0	0	0
Squeegee Bla	Squeegee Blade					
	BLADES SQUEEGEE 370MM 14.5 PU KIT	9100000077	1	•	•	•



Next generation in daily small area scrubbing and drying

Accessories		Ref. no.	Min. required	SCRUBBER SC351	SCRUBBER SC351 FULL PKG	SCRUBBER SC351 JP
	BLADES SQUEEGEE 370MM 14.5 RED GUM KIT	9100000302	1	0	0	0
On-Board Ch	arger					
8	CHARGER BATT. O/B 12V 15A 230V EU KIT	9100000713	1	•	•	•

ullet Standard equipment, ${}^\bigcirc$ Supplementary accessories, ${}^\square$ Mountable equipment

	Accessories	Ref. no.	Min. required	SCRUBBER SC351 FULL PKG UK
Battery				
	BATT.12V-87AH AGM MONOBLOC	1464853000	1	
	BATTERY 12V 55AH AGM SPIRACEL	9100001664	1	•
External Char	ger			
8	CHARGER HF 12V 30A OPTIMA SB50G	80541230	1	
Pad Holder				
(G)	PAD HOLDER FLAT 14 355MM	9099672000	0	0
Special Pad				
	PAD 14 355MM ECO BRILLIANCE BLUE 2PCS	10002325	0	0
	PAD 14 355MM ECO BRILLIANCE GREEN 2PCS	10002327	0	0
	PAD 14 355MM ECO BRILLIANCE RED 2PCS	10002324	0	0
	PAD 14 355MM ECO BRILLIANCE YELLOW 2PCS	10002326	0	0



	Accessories	Ref. no.	Min. required	SCRUBBER SC351 FULL PKG UK
Pad 14" / 355	mm			
0	PAD 14 355MM ECO BLACK 5PCS	10001916	0	0
0	PAD 14 355MM ECO BLUE 5PCS	10001917	0	0
0	PAD 14 355MM ECO BROWN 5PCS	10001918	0	0
0	PAD 14 355MM ECO GREEN 5PCS	10001919	0	0
0	PAD 14 355MM ECO RED 5PCS	10001920	0	0
0	PAD 14 355MM ECO WHITE 5PCS	10001921	0	0
Disc Brush 37	0 mm			
0	BRUSH DISC 370MM 14.5 GRIT 180 GREY	9100000003	0	0
9	BRUSH DISC 370MM 14.5 GRIT 240 GREY	9100000002	0	0
	BRUSH DISC 370MM 14.5 PROLENE BLUE	9099999000	0	•
	BRUSH DISC 370MM 14.5 PROLITE BLUE	9100000001	0	O
	BRUSH DISC 370MM 14.5 UNION MIX NATURAL	9100000000	0	0
Other				



	Accessories	Ref. no.	Min. required	SCRUBBER SC351 FULL PKG UK
	HOSE FILLING KIT	9099011000	0	0
Squeegee Bla	Squeegee Blade			
	BLADES SQUEEGEE 370MM 14.5 PU KIT	9100000077	1	•
	BLADES SQUEEGEE 370MM 14.5 RED GUM KIT	9100000302	1	0
On-Board Ch	arger			
8	CHARGER BATT. O/B 12V 15A 230V EU KIT	9100000713	1	•

